

GOSLING™

QUALITY CRAFT CANNING, SIMPLIFIED.





MORE THAN 1,000 WILD GOOSE CANNING
SYSTEMS WORLDWIDE.

ARE YOU READY FOR
YOURS?



Automated CO₂ purging, filling,
lid application and seaming.

All in one sleek, simple package.

The Gosling has hatched! That canning run you've been dreaming about just became reality, and Wild Goose helps you get it done fast.

Designed for the craft beverage maker who wants to preserve the quality of their beverage, we have applied our trusted, patented Wild Goose filling and seaming technology to suit your packaging scale.

Experience the consistency and ease of a Wild Goose canning machine, now more affordable than ever.



PACKAGE SMALL VOLUMES WITH EASE

Fill your taproom fridge with cans to-go, or release limited-quantity batches on your schedule. The Gosling makes it simple to can small volumes from keg, tank and more.

PROTECT YOUR CARRY-OUT QUALITY


Improve your shelf life and product integrity over manual-fill-and-seal appliances. With the Gosling, your beverage quality is preserved consistently during the canning process, whether your customers plan to enjoy those cans now or months down the road.

TEST YOUR MARKET

Turn R&D projects into viable products. Try out different package formats. The Gosling gives you the flexibility to experiment economically so more of your creations can hit the market.

Your quality craft deserves to be canned on a Goose.

UP TO
12 CANS
PER MINUTE WITH
INFEED AND OUTFEED
OPERATORS



Filling technology with patented line restriction delivers consistent fills and foam control

Foam Pulse foaming offers control over foaming to block oxygen pickup

Lid chute design accommodates full sleeves of lids for hands-free placement

Enclosed structure with drip tray ensures safety and sanitation

Continuous or single-can operation modes give flexibility to every packaging run

Patented pneumatically-actuated and cam-driven seamer creates repeatable seams

Easy-to-use online interface developed by Wild Goose offers run setup from a user's wifi-connected computer, tablet or smartphone

PURGING:	AUTOMATIC
FILLING:	AUTOMATIC
LID PLACEMENT:	AUTOMATIC
SEAMING:	AUTOMATIC

Speed Up To:
Based on 12 oz / 355 mL can at optimal product conditions

- 12 cans/min
- 720 cans/hr
- 30 cases/hr
- 2.2 bbl/hr
- 67.5 gal/hr
- 2.6 hL/hr
- 0.26 m³/hr
- 260 L/hr

Can Size: 202-307 (8-32 oz / 236-946 mL) with a 200-300 lid type

Dimensions: 42" L x 24" W x 41-43" H / 107 cm L x 61 cm W x 104-109 cm H

Deck Height: Entry and exit deck height of 12-14" / 30.5-35.5 cm above base surface

Configuration: Tabletop configuration with adjustable leveling feet

Weight: 275 lb / 125 kg

Power Options:

- Single-phase 13A @ 115VAC, 50/60 Hz
- Single-phase 200V-240V

Air: Clean, dry compressed air required at 6.5 scfm @ 95-100 psi / 185 L/min @ 6.5-7 bar in accordance with ISO 8573-1:2010 (-:4:-). Dew Point < 37° F / 3° C

CO₂: Required at 12-25 psi dependent on add-on options

App System Requirements: Wild Goose recommends minimum device requirements of 1.2 GHz processor and 1.5 GB RAM

Includes:

- Operational Manual

Add-Ons:

- Dual-Stage Flow Mode
- DO Buster CO₂³Tunnel
- Pre- and Post-Rinse
- Liquid Nitrogen Dosing
- Mobile Cart
- Advanced Tool Kit
- Spare Parts Kit
- SPA Treatment (Service Partnership Agreement)

Financing:

We've made the most affordable professional canning system on the market, and we're making financing easy too. Contact us to learn more about options in your area.

Ask us about a credit towards your first order of cans from a Wild Goose can-supply partner. Full pallet not required - we have you covered on smaller order quantities!

*With decades of filling equipment experience,
Wild Goose Filling designs and builds flexible canning and
bottling systems that maintain your craft product quality.*

*Wild Goose's global team proudly serves more than
2,000 customers worldwide.*



Wild Goose Filling

633 CTC Boulevard, Suite 100
Louisville, Colorado 80027 USA
P: +1 720.406.7442

European Offices

Alkmaar, The Netherlands
Barcelona, Spain



www.WildGooseFilling.com